


halide emulsion layer, at least one cyan color-forming light-sensitive silver halide emulsion layer, at least one magenta color-forming light-sensitive silver halide emulsion layer, and at least one light-insensitive non-color forming hydrophilic colloid layer, wherein at least one cyan color-forming silver halide emulsion layer contains at least one cyan dye-forming coupler selected from the compounds represented by the following formula [C-2], and at least one light-insensitive non-color forming hydrophilic colloid layer is positioned between the support and a light-sensitive silver halide emulsion layer most adjacent to the support:



[C-2]

wherein R^1 represents an electron attractive group having a Hammett's substituent constant σ_p value of 0.20 or more, R^{11} , R^{12} , R^{13} , R^{14} and R^{15} , which may be the same or different, each represents hydrogen atom or a substituent, R^3 represents hydrogen atom or a substituent, Z represents a non-metallic atom group

necessary for forming a 5-, 6-, 7- or 8-membered ring, and X^2 represents hydrogen atom or a substituent,

wherein at least one non-color forming hydrophilic colloid layer positioned between said support and a light-sensitive silver halide emulsion layer most adjacent to the support contains a solid fine particle dispersion of a dye represented by formula [I]:



wherein

D represents a compound residue having a chromophore,

X represents a dissociative hydrogen atom or a group having a dissociative hydrogen atom, and

y represents an integer of from 1 to 7.